

TABLE OF CONTENTS

Volume 1

	Page No
Preface	iii
Sponsors Details	ixx
FIRE INVESTIGATION	
The ammonium nitrate explosion at West, Texas: A disaster that could have been avoided <i>Vytenis Babrauskas, Fire Science and Technology Inc., USA</i>	1
Ignition and burning characteristics of tea light candles and their influence on fire investigation <i>Mike Burroughs, Fire Investigations, UK</i>	13
HEAT FLUX MEASUREMENTS & CALCULATIONS	
Measuring heat flux from a fire to a surface using IR Thermography <i>Christian Rippe, B Lattimer, Jensen Hughes, USA</i>	25
A study on radiation screens – A comparison between experiments and different numerical models <i>Jonathan Wahlqvist, M Runefors, P van Hees, Lund University, Sweden</i>	37
Resolving obstructed views using multiple thermography digital image correlation systems <i>Jonathan Hodges, P Summers, S Case, N Cholewa, Virginia Tech, C Rippe, B Lattimer, Jensen Hughes, USA and Z Mathys, Defence Science & Tech Org, A Mouritz, RMIT University, Australia</i>	47
A comparison of radiative transfer models in fireFoam and FDS <i>Marcus Runefors, J Wahlqvist, B Husted, Lund University, J Anderson, C Huang, SP Technical Research Inst, Sweden</i>	59
PYROLYSIS MODELLING	
A generalized methodology to produce pyrolysis models for composite materials <i>Mark McKinnon, Jensen Hughes / University of Maryland, S Stolarov, University of Maryland, USA</i>	71
Burn: A 3D model of burning materials <i>Morgan Bruns, NIST, USA</i>	83
A model for thermal decomposition of solids out of Ellingham assumption <i>Aurélien Thiry, P Carlotti, LCPP, P Boulet, Université de Lorraine, France</i>	95
Distributed reactivity model to predict multi-stage pyrolysis of polymeric materials and sensitivity analysis <i>Abhishek Bhargava, Danish Inst of Fire and Security Tech, Denmark / Lund University, Sweden, P van Hees, B Andersson, H Sina, S Iyengar, Lund University, Sweden</i>	107
Application of fire simulation within the railway industry <i>Fabian Brännström, Bombardier Transportation, Germany</i>	119

Pyrolysis modelling of composite fabrics based on individual fabric properties using micro-combustion calorimetry <i>Konrad Wilkens Flecknoe-Brown, Lund University, Sweden / Danish Inst of Fire and Security Tech, Denmark, S Hostikka, Aalto University, Finland and P van Hees, Lund University, Sweden</i>	131
Pyrolysis model properties of engineered wood products and validation using transient heating scenarios <i>Gaurav Agarwal, M Chaos, Y Wang, FM Global, USA and D Zeinali, Ghent University, Belgium</i>	143
Power law modelling of simple pyrolysis kinetics <i>Pierre Carlotti, A Thiry, S Dupont, LCPP, P Boulet, Université de Lorraine, France</i>	155
FLAME RETARDANTS & COATINGS	
Are commercially successful, halogen-free back-coatings for textile furnishings possible within the shorter term? <i>Richard Horrocks, S Eivazi, B Kandola, University of Bolton, UK</i>	167
From the synthesis to the understanding: How to design flame retardants for PBT <i>Sophie Duquesne, R Duprez, G Fontaine, S Bourbigot, ENSCL, France, S Wagner, A Koenig, R Kramer, M Klatt, BASF, Germany</i>	179
Gas-phase interactions of phosphorus retardants with diffusion flames <i>Fumiaki Takahashi, Case Western Reserve University, V Katta, Innovative Scientific Solutions, G Linteris, V Babushok, NIST, USA</i>	191
Chemically modified lignin as flame retardant for acrylonitrile-butadiene-styrene (ABS) <i>Benjamin Prieur, G Fontaine, S Bourbigot, ENSCL, M Wittemann, R Klein, Fraunhofer Inst for Structural Durability and System Reliability LBF, Germany</i>	203
Numerical prediction on interacting thermal-structural behaviour of inorganic intumescent coating <i>Sungwook Kang, S Choi, University of Ulster, UK and J Yoon Choi, Korea Conformity Laboratories, Korea</i>	213
Intumescent paint systems exposed to different heating scenarios <i>Robert Jansson McNamee, SP Technical Research, Sweden and K Storesund, R Stølen, P Gunnar Nordløyken, SP Fire Research, Norway</i>	225
FURNITURE FLAMMABILITY	
Study: Reduced ignition propensity (RIP) cigarettes – Theory and reality <i>Ida Larsson, A Bergstrand, SP Technical Research Institute, Sweden</i>	235
Cone calorimeter studies of foam and fabric assemblies <i>Alexander Morgan, University of Dayton, USA</i>	247
Upholstered furniture - Can fire behaviour be improved without adding chemical flame retardants? <i>Anne Steen-Hansen, K Storesund, SP Fire Research, Norway and A Bergstrand, SP Fire Research, Sweden</i>	257
Analysis of heat release rate of bed mattress installed at different heights <i>Jong-Jin Jeong, M Mizuno, Y Ohmiya, Y-C Shin, Tokyo University of Science, Japan, K-W Park, FILK, Korea and M Delichatios, University of Ulster, UK</i>	269

LARGE OUTDOOR FIRES

Firebrand ignition in large outdoor fires: The use of full-scale experiments to guide the development of laboratory standard test methods <i>Samuel Manzello, NIST, USA and S Suzuki, NRIFD, Japan</i>	281
Experimental investigation of wood decking assemblies attacked by firebrand showers <i>Sayaka Suzuki, NRIFD, Japan and S Manzello, NIST, USA</i>	293
Computationally efficient wildland fire spread models <i>Alan Lattimer, J Borggaard, S Gugercin, K Luxbacher, Virginia Tech, B Lattimer, Jensen Hughes, USA</i>	305

FIRE SERVICE & BUILDING FIRE SAFETY

Humanoid firefighting robot for structure fires <i>Brian Lattimer, Jensen Hughes, J Starr, J McNeil, C Nogales, J Peterson, J Ziglar, J Burnton, C Knabe, Y Sung, J Seminatore, R Griffin, J Newton, V Orekhov, M Rouleau, M Hopkins, Virginia Tech, D Hong, UCLA, D Lee, University of Pennsylvania, J Farley, Naval Research Lab, USA</i>	317
Techniques for the offensive exterior attack in fighting ventilation controlled structure fires <i>Rijk van den Dikkenberg, K Groenewegen-Ter Morsche, R Weewer, Fire Service Academy, Netherlands</i>	329
Robot autonomous fire location using a weighted probability algorithm <i>Chris Nogales, T Furukawa, Virginia Tech, B Lattimer, Jensen Hughes, USA</i>	341
An analysis of residential building fire rescues: The difference between fatal and non-fatal casualties <i>Rijk van den Dikkenberg, M Kobes, Fire Service Academy, Netherlands</i>	353
How can fatal fires involving vulnerable people be avoided? <i>Karolina Storesund, A Steen-Hansen, C Sesseng, SP Fire Research, G Gjørund, K Halvorsen, P Grytten Almklov, NTNU Social Research, Norway</i>	365
Towards a sound understanding of the effectiveness of smoke detectors in dwellings <i>Karin Groenewegen-Ter Morsche, M Kobes, K Dangermond, Fire Service Academy, Netherlands</i>	375

DETECTION & SUPPRESSION

Investigation of the use of smoke detectors in Norwegian dwellings <i>Christian Sesseng, N K Reitan, SP Fire Research, Norway</i>	387
Smoke behavior analysis with multi-view smoke spread data <i>Florian Vandecasteele, B Merci, S Verstockt, Ghent University, Belgium</i>	399
The extinguishing performance of experimental siloxane-based AFFF <i>Ralf Hetzer, F Kümmerlen, Bundeswehr Research Inst for Protective Technologies and NBC-Protection, Germany</i>	409
Smoke layer/water spray interaction – Thermal and radiative characterization <i>Elizabeth Blanchard, S Renard, P Fromy, CSTB, G Parent, P Boulet, Université de Lorraine / CNRS, D Borgiallo, PROFOG, France</i>	421
Efficiency of water spray system for smoke cooling in confined and mechanically ventilated compartment <i>Hugues Pretrel, L Audouin, IRSN, France</i>	431

Experimental and numerical modeling of interactions between sprinklers and natural smoke vents
Nicolas Trevisan, Université de Lorraine / CNRS / CNPP, Z Acem, P Boulet, CNRS, G Pianet, A Jenft, A Breton, A Muller, CNPP, France443

Optimization of in-rack automatic sprinkler protection using a coupled modeling-testing approach
Karl Meredith, K Jamison, J de Vries, Y Wang, S Dorofeev, FM Global, USA.....455

Cost benefit analysis for sprinklers in tall buildings above 30m for life safety
Corinne Williams, J Fraser-Mitchell, BRE Global, UK467

POSTERS

POSTER SESSION A

TRANSPORTATION

Fire spread over the Sedan type passenger cars with the emphasis on the origin and cause of the fire
Lucie Hasalová, O S Šafránek, V Vystrčil, Technical Institute of Fire Protection in Prague, M Jahoda, University of Chemistry and Technology Prague, Czech Republic479

B-LAYERS: The role of each layer in systemic fire protection of buses
Virginia Alonso, G Rein, Imperial College London, UK.....485

Heat release and lethal combustion product evaluation of rail coach materials
B Nageshwar Rao, R Arunjothi, Central Power Research Institute, India487

HEAT FLUX MEASUREMENTS & CALCULATIONS

An assessment of the Weighted-Sum-Of-Grey-Gases approach in fire simulations
Ivan Sikic, J Wen, University of Warwick, S Dembele, Kingston University London, UK.....495

Spatial distribution of thermal radiation – Verification of the finite volume method
Piotr Tofilo, R Porowski, The Main School of Fire Service, W Wegrzyński, Building Research Inst, Poland497

Comparison of experiments and numerical simulations of a high pressure water mist curtain as a radiation shield
Bjarne Husted, Lund University, Sweden, J Ho, ARUP, UK and D Martin, Jensen Hughes, USA.....505

Mapping of incident radiation with plate thermometers from a propane flame - Free and adjacent to walls
Ulf Wickström, O Lind, P Troedson, Luleå University of Technology, Sweden511

'Heat Flux' is an ill-suited boundary condition in fire safety engineering. Adiabatic surface temperature is better
Ulf Wickstrom, Luleå University of Technology, Sweden517

PYROLYSIS

An experimental study for the radiant heat reduction effect about the Low-E coating glass in fire
Kazuyuki Suzuki, T Hisada, Nippon Sheet Glass Co Ltd, Y Ohmiya, Tokyo University of Science, Japan.....523

A contribution to pyrolysis modeling
*Corinna Trettin, F-W Wittbecker, R Goertz, University of Wuppertal, L Arnold, Research
 Centre Jülich GmbH, Germany*.....529

Mathematical modeling of highly-filled halogen-free cable compound burning in
 cone calorimeter
*Mikhail Shuvalov, M Kamenskiy, A Kryuchkov, T Stepanova, A Frik, D Savin,
 VNIIEP, Russia*535

COMPARTMENT FIRE TESTING & MODELING

Application of Monte-Carlo propagation methods for uncertainty assessment of large
 scale fire tests outputs
Hugues Prêtre, P Querre, IRSN, France.....541

Assessment of the thermal properties of insulation materials
Nicole Nagy, M DiDomizio, E Weckman, University of Waterloo, Canada.....547

Burning rate and time to flashover in wooden ¼ scale compartments as a function of
 fuel moisture content
*Arjen Kraaijeveld, A Gunnarshaug, B Schei, T Log, Stord/Haugesund University
 College, Norway*.....553

Study on mechanism of fire spread between rooms - Simple temperature prediction
 model for two rooms
*Yi-Chul Shin, Y-H Yoo, Korea Institute of Civil Engineering and Building Technology,
 K-W Park, Fire Insurers Laboratories, Korea and Y Ohmiya, Tokyo University of Science,
 K Tashima, Tokyo Fire Department, K Himoto, Building Research Inst, Japan*559

FIRE SERVICE

Incidents and accidents at interior firefighting in Sweden 2002-2014
*Stefan Särndqvist, A Jonsson, Swedish Civil Contingencies Agency, J Nordström, Rescue
 Service of Östra Götaland, Sweden*.....565

WATER-BASED FIRE SUPPRESSION

Delay of wood ignition owing to attenuation of radiation by water
*Masaki Noaki, A Saito, T Sato, S Hayashi, T Akieda, Y Ohmiya, Tokyo University of
 Science, Japan and M Delichatsios, Ulster University, UK*.....571

Simulation of water based suppression of pre-mixed methane-air fire and explosion in
 long straight duct
*Jafar Zanganeh, B Pitkin, M Shirzaei, J Zanganeh, B Moghtaderi, Univeristy of
 Newcastle, Australia*.....577

VISIBILITY THROUGH SMOKE

Effect of acute yaw angles with sight line on visibility of emergency sign through fire smoke
*Kosuke Fujii, National Research Institute of Fire and Disaster, T Sano, Waseda University,
 Y Ohmiya, Tokyo University of Science, Japan*583

Visibility of emergency signs derived from numerical smoke spread simulation
Volker Schneider, R Könnicke, IST GmbH, Germany.....589

POSTER SESSION B

MODEL VALIDATION

BRE Global office fire 2014: A comparison of experimental and CFD modelling data from a fire in a full scale section of an open plan office
Connor McIntosh, N Cole, BRE Global, UK.....595

A tridimensional numerical study of the FLUMILOG warehouse fire experiment
Shihab Rahman, B Truchot, INERIS, France601

TESTING

Influence of different ignitors used in single smoke chamber on smoke and gas measurements
Koichi Yoshida, Yokohama National University, K Araya, T Fukaya, JECTEC, H Yoshioka, NILIM, T Hayakawa, TSV, Japan.....607

Use of LED for measuring smoke density in fire tests as potential alternative to halogen lamp
Hideki Yoshioka, NILIM, T Hayakawa, Tokyo System Vac, K Yoshida, Yokohama National University, T Noguchi, University of Tokyo, Y Hase, Mitsubishi Plastics, Japan.....611

Study on gas sampling probe in cone calorimeter
Jungmin Choi, Fire Insurers Labs, Korea and E Guillaume, Efectis Group, France617

FIRE RESISTANCE & FAÇADES

Behaviour of cavity barriers in modular houses – A revised test methodology
Daniel Brandon, A Just, R Jansson McNamee, SP Technical Research Inst, Sweden.....623

Does UK guidance on small service penetrations prejudice the performance of fire rated floor constructions?
Bill Hay, I Sanderson, Glasgow Caledonian University, UK629

Design goals - Fire resistance demands for tall residential buildings
Danny Hopkin, A Ballantyne, E O'Loughlin, B McColl, Trenton Fire Ltd, UK635

Qualitative assessment of the fire hazards beneath bridges
Panagiotis Kotsovinos, G Flint, G Walker, B Lane, Arup, UK.....641

Resistance to jet fires of passive protection materials: Numerical evaluation of thermal loads
Virginie Dréan, R Chiva, H Leborgne, G Auguin, Efectis, France647

Experimental assessment of repeatability in façade fire testing
Johan Anderson, L Boström, R Jansson, SP Technical Research Inst, Sweden and B Milovanović, University of Zagreb, Croatia653

Principles of testing and regulating fire safety of façades
Miroslav Smolka, B Messerschmidt, Rockwool International, Denmark, L Boström, SP, Sweden, T Crimi, A C Consulting Solutions Inc, V Dowling, Fire Science and Tech, Australia, K-W Park, Fire Insurers Labs of Korea, South Korea and H Yoshioka, NILIM, Japan.....659

FIRE RISK

Fire risk assessment with a Stochastic Approach – Model development and application to an auditorium
Samia Haouari Harrak, CSTB / LEMTA, P Fromy, E Blanchard, CSTB, P Boulet, R Mehaddi, LEMTA, France.....665

Development of a fire risk index to evaluate fire safety in Taiwanese small scale hospitals
Chia Lung Wu, University of Edinburgh, UK and WW Tseng, Central Police University, Taiwan.....671

A probabilistic and time dependant approach to external fire spread and building separation distances
Sung-Han Koo, BRE Global, UK.....677

Quantitative risk assessments for existing rail tunnels – Explicitly calculating the consequences for every occupant in every scenario
Andrew Addinsell, F Gamon, Arup, Australia.....683

FIRE SAFETY ENGINEERING

Fire Engineering Platform - A new concept of calculation tool package designed for fire science education and engineering
Piotr Tofilo, The Main School of Fire Service, Poland689

How successfully ventilate the underground garages dedicated for cars powered by LPG – Evaluation on real scale tests and computer modelling
Dorota Brzezińska, Lodz University of Technology, Poland697

Smoke and heat extraction in underground stations
Lukas Arnold, B Schröder, A Meunders, S Schmidt, Jülich Supercomputing Centre, Germany.....703

Study on smoke behavior in the station underpass
Susumu Mafune, O Suzuki, East Japan Railway Company, D Sato, Y Ohmiya, Tokyo University of Science, Japan.....709

POSTER SESSION C

FIRE DYNAMICS

Experimental and numerical investigation of downward smoldering combustion in paper stacks
Alberto Tinaburri, F Ponziani, V Ricci, Ministry of the Interior, Italy and M Angelino, University of Loughborough, UK715

Influence of duct geometry on flame propagation for flammable gas-air mixtures
Mohammadreza Shirzaei, J Zanganeh, S Kundu, B Pitkin, B Moghtaderi, University of Newcastle, Australia.....721

Influence of initial ignition source on flame front velocity of a methane/coal dust explosion in a smooth detonation tube
Mohammed Ajrash, J Zanganeh, B Moghtaderi, University of Newcastle, Australia.....727

Prediction of flammability limit of a thin solid material in microgravity environments
Shuhei Takahashi, K Tsuboi, K Maruta, Gifu University, Japan733

Temperature attenuation above a fire source with a simple harmonic oscillation in horizontal direction
Yasushi Oka, M Iizuka, Yokohama National University, H Oka, National Maritime Research Inst, Japan739

Study on ignitability of cellulose based materials
Jadwiga Fangrat, Instytut Techniki Budowlanej, Poland745

COMPOSITES

Improving fire safety of glass fibre reinforced polymers for bridge infrastructures
John Gales, C Gaudreault, Carleton University, N Nagy, E Weckman, University of Waterloo, Canada and H Smith, University of Edinburgh, UK.....747

ELECTRICAL FIRES

Understanding the limits of thermal runaway in lithium-ion battery systems
John Hewson, Sandia National Labs, USA.....753

Fire ignition and spread analysis on photovoltaic building roofs
Piergiacomo Cancelliere, V Puccia, M Caciolai, Ministry of Interior, Italy761

HUMAN BEHAVIOUR

Evacuation dynamics under consideration of vulnerable pedestrian groups
Paul Geoerg, A Hofmann, BAM, A Pulm, Werkstatt Lebenshilfe i Berg Land, Germany769

Design for elderly egress in fire situations
Lauren Folk, J Gales, Carleton University, S Gwynne, NRCC, Canada and M Kinsey, Arup, China775

Affordance-based evaluation of signage design for areas of refuge
Elisabetta Carattin, Arup Fire, UK, R Lovreglio, Politecnico di Bari, Italy and E Ronchi, D Nilsson, Lund University, Sweden781

Evacuation concept of a high rise Ministry building - Findings four years after completion
Michael Haas, DGMR Consulting Engineers, The Netherlands787

Characteristics of evacuation behavior based on observation of a theater evacuation drill
Tomonori Sano, M Imanishi, Y Hatakeyama, Waseda University, Japan793

Experimental study of the crowd flow affected by straight corridor and with a bottleneck
Akihide Jo, Takenaka Corporation, T Sano, Waseda University, Y Ohmiya, Tokyo University of Science, Japan.....799

Field observations and experiments on the evacuation of children with disabilities in the buildings with their mass stay
Sergey Slyusarev, D Samoshin, State Fire Academy of EMERCOM, Russia and P Anh, The University of Fire Fighting & Prevention, Vietnam805

Validation of pre-movement time distribution for evacuation modelling using real data from evacuation drill
Giordana Gai, E Cartapati, Sapienza University of Rome, P Cancelliere, F Alaimo Ponziani, M Mazzaro, M Caciolai, D De Bartolomeo, Ministry of Interior, Italian National Fire Brigades and Services, Italy.....811

Validation study on the use of evacuation models for simulation of long ascending stair evacuation
Caroline Eriksson Lantz, J Norén, Briab Brand & Riskingenjörerna AB, M Delin, DeBrand Sverige AB, E Ronchi, Lund University, Sweden817

Evacuation modelling in the fire safety industry: *Quo Vadimus?*
Rodrigo Machado Tavares, EXOVA Warringtonfire, UK823

An emergency egress model based on a macroscopic continuous approach
Thomas Gasparotto, A Collin, P Boulet, LEMTA, G Pianet, A Muller, CNPP, France829

AUTHOR INDEX

Volume 2

Page No

Preface	iii
Sponsors Details	ixx
PREDICTIONS OF SOOT GENERATION & VISIBILITY	
A numerical investigation on the impact of modeling aerosol behaviors on the prediction of soot density in a compartment fire <i>Jason Floyd, Jensen Hughes, USA</i>	835
Experimental and numerical analysis of the influence of the soot yield when conducting CFD analysis for the estimation of the available safe evacuation time <i>Gabriele Vigne, JVVA Fire and Risk / University of Jaén, Spain and W Węgrzyński, ITB, Poland</i>	847
Full-scale fire tests to obtain optical density data for validation of compartment fire models <i>Jason Huczek, M Janssens, SwRI, S Turner, Leidos, USA and K Onaka, TEPCO, Japan</i>	859
Model uncertainty of predictions of the soot concentration in the hot gas layer of compartments fires <i>Marc Janssens, J Huczek, SwRI, S Turner, Leidos, USA and K Onaka, TEPCO, Japan</i>	871
RACK STORAGE FIRE MODELLING & TESTING	
The impact of object shape on rack storage fire simulations <i>Charles Fleischmann, University of Canterbury, New Zealand</i>	881
An experimental study on the freeburn characteristics of complex fuels <i>Sai Thumuluru, Y Xin, A Gupta, FM Global, USA</i>	891
Complex fuel experiments using the Characteristic Fuel Unit (CFU) method for cartoned commodities <i>Yibing Xin, Y Wang, M Chaos, S Dorofeev, FM Global, USA</i>	903
Modeling of large-scale fires in cartoned plastic commodity rack-storage <i>Ankur Gupta, G Agarwal, K Meredith, S Thumuluru, Y Xin, M Chaos, Y Wang, FM Global, USA</i>	915
MODEL VALIDATION	
Novel full-scale atrium fire experiments and numerical validation under steady and transient venting conditions <i>P Ayala, TYPESA / Universidad Pontificia Comillas, A Cantizano, Universidad Pontificia Comillas, G Vigne, JVVA Fire Safety Consultants, C Gutiérrez-Montes, Universidad de Jaen, Spain and G Rein, Imperial College London, UK</i>	927
Comparison of partially lined timber room experiments with the modified B-RISK flame spread capability <i>Harriet Peel, M Spearpoint, University of Canterbury, C Wade, BRANZ, New Zealand</i>	937
Temperature measurements and modelling of flashed over compartment fires <i>Ulf Wickström, A Byström, Luleå University of Technology, J Sjöström, SP Fire Research, Sweden</i>	949

FIRE TESTING

A buoyancy driven fire calorimeter <i>James Quintiere, University of Maryland, R Lyon, S Crowley, FAA, USA</i>	961
Electronic gas sensors in fire testing <i>Matthew DiDomizio, E Weckman, University of Waterloo, Canada and N Ryder, University of Waterloo, Canada / Fire & Risk Alliance, USA</i>	969
Combustion products of polymers at constant fuel/oxygen ratios <i>Richard Walters, L Speitel, R Lyon FAA, USA</i>	981
Development of a dynamic shrinkage/collapse measurement method for cellular polymer foams <i>Karlis Livkiss, DBI, Denmark and P van Hees, Lund University, Sweden</i>	991

FIRE RESISTANCE

Temperature assessment of a vertical member subjected to localized fire <i>Christophe Thauvoys, B Zhao, CITICM, France and F Hanus, O Vassart, ArcelorMittal Global R&D, Luxembourg</i>	1003
Design at the interface – Developing a structural fire strategy for an exposed weathering steel frame <i>Danny Hopkin, E O’Loughlin, B McColl, S Anastasov, Trenton Fire Ltd, D Illingworth, AKT II, UK</i>	1015
Post fire guidance for the critical temperature of prestressing steel <i>Lucie Robertson, David Narro Associates, UK and J Gales, Carleton Univ, Canada</i>	1027
A conceptual framework for a design travelling fire for large compartments with fire resistant islands <i>Xu Dai, J Maclean, S Welch, BRE Centre for Fire Safety Eng, University of Edinburgh and L Jiang, A Usmani, Brunel University, UK</i>	1039
Mechanical properties of gypsum plasterboard exposed to standard fires <i>Blanca Andres, DBI, Denmark / Lund University, Sweden and P van Hees, Lund University, Sweden</i>	1051
Behaviour of char layer in fire-damaged box section timber beams <i>Hailey Quiquero, J Gales, G Hadjisophocleous, Carleton University, Canada</i>	1063
Development of a thermomechanical model on behaviour of cellulose based material under fire resistance test <i>Guillaume Cueff, V Drean, G Auguin, Efectis France, J-C Mindeguia, D Breyse, University of Bordeaux, France</i>	1075
Full-scale fire test of CLT structure used for student housing <i>Kristian Hox, G Baker, SP Fire Research, Norway</i>	1087

FAÇADES

Fire safety of façades <i>Anja Hofmann, BAM, Germany</i>	1095
Development of the advanced technical method and the test standard for the purpose of the fire safety of façade materials in buildings <i>Kye-Won Park, Fire Insurers Labs of Korea, Y-H Yoo, KICT, South Korea, M Smolka, Rockwool Int, Denmark, L Boström, SP, Sweden and H Yoshioka, Nat Inst for Land and Infrastructure Management, Japan</i>	1103

Modeling of fire exposure in façade fire testing <i>Johan Anderson, L Boström, R Jansson, SP Technical Research Inst, Sweden and B Milovanović, University of Zagreb, Croatia</i>	1115
A full-scale fire test to investigate the fire behaviour of the "ventilated façade" system <i>Dionysios Kolaitis, National Technical University Athens / Greek Fire Academy, E Asimakopoulou, M Founti, Greek Fire Academy, Greece</i>	1127
Determination of fire performance of ventilated façade systems on combustible insulation using LEPIR2. Extended applications approach based on multiscale tests <i>Roy Weghorst, Kingspan Insulation Ltd, UK and B Heuzé, LNE, E Guillaume, Efectis, France</i>	1139
Fire safety of façades with polystyrene foam insulation <i>Anja Hofmann, S Kaudelka, BAM, Germany</i>	1151
Protection against external fire spread – Horizontal projections or spandrels? <i>Markus Nilsson, A Mossberg, Brandskyddslaget,, B Husted, Lund University, J Anderson, SP Technical Research Inst of Sweden, Sweden</i>	1163
CODES AND REGULATIONS	
Codes and standards development in the USA: How does it work? <i>Marcelo Hirschler, GBH International, USA</i>	1175
Comparing national fire regulations in EU for 3 different buildings <i>Birgitte Messerschmidt, S Hughes, J Albiac, Fire Safe Europe, Belgium</i>	1187
Compartment sizes, resistance to fire and fire safety – Construction details <i>Tom Lennon, BRE Global, UK</i>	1197
Fire statistics: What is the current situation and what can be expected? <i>Dominique Parisse, PlasticsEurope, Belgium</i>	1205
FIRE RISK	
Effects of performance of active fire protection systems on life risks due to fire in a mid-rise residential building <i>George Hadjisophocleous, X Zhang, Carleton University, J Mehaffey, CHM Fire Consultants Ltd, Canada</i>	1217
Efficient method for probabilistic fire safety engineering <i>Ruben Van Coile, WSP, UK / Ghent University, Belgium and G Balomenos, M Pandey, University of Waterloo, Canada</i>	1229
Standardized probabilistic model for allowable fire compartment size <i>Peter van de Leur, DGMR, K Jan de Boer, C Cieraad, Antea Group / Consulting Group Save, The Netherlands</i>	1241
Maximum fire compartment sizes <i>Jeremy Fraser-Mitchell, T Lennon, BRE Global, UK</i>	1253
FIRE SAFETY ENGINEERING	
Uncertainties in relationships used in smoke management engineering <i>El Mehdi Koutaiba, Université d'Aix-Marseille / CSTB, O Vauquelin, Université d'Aix-Marseille, E Blanchard, P Fromy, CSTB, France</i>	1265

Make-up air effects on the smoke interface height in atrium fires <i>Amir Rafinazari, G Hadjisophocleous, Carleton University, Canada</i>	1277
Comparison between experimental tests and computer models of a smoke-proof enclosure safety vestibule <i>Fabio Alaimo Ponziani, P Cancelliere, A Tinaburri, D De Bartolomeo, M Mazzaro, M Caciolai, Ministry of Interior, Italian National Fire Services, G Gai, E Cartapati, Sapienza University of Rome, Italy</i>	1289
Development and validation of a method to validate extensions of performance of fire resisting cable wraps subjected to non-standard fire conditions <i>Daniel Joyeux, A Blanguernon, EFECTIS France, B Gautier, EDF, B Marquez, T Cerosky, NUVIA Protection, France</i>	1297
Fire spread and tenability in single family dwellings: Combining live fire experiments and FSE-modeling <i>Lieuwe de Witte, H Hazebroek, R Weewer, Fire Service Academy, The Netherlands</i>	1309
What we recently learned about performance based design <i>Bill Koffel, Koffel Associates, USA</i>	1321
The role of quantitative risk analysis models in performance-based fire safety engineering <i>Greg Baker, SP Fire Research, Norway, M Spearpoint, C Fleischmann, University of Canterbury and C Wade, BRANZ, New Zealand</i>	1333

IGNITION AND EXTINCTION

Emerging risks from smouldering fires: Initial results from the EMRIS Project <i>Dan Madsen, B Husted, Lund University, Sweden, C Wanke, U Krause, Otto-von-Guericke-University, Germany, R Mikalsen, Stord/Haugesund University College / SP Fire Research, I Haraldseid, E Villacorta, G Kleppe, B Hagen, V Frette, Stord/Haugesund College, Norway</i>	1345
Modelling of self-heating behaviour during storage of torrefied biomass fuel <i>Tengku Noor Tg Azhar, Y Wu, University of Sheffield, UK</i>	1357
Experimental assessment of bench-scale ignitability parameters <i>Frida Vermina Lundström, Lund University, Sweden / DBI, Denmark and P van Hees, Lund University, Sweden</i>	1369
Auto-extinction of engineered timber: The application of Firepoint Theory <i>Alastair Bartlett, R Hadden, L Bisby, The University of Edinburgh, B Lane, Arup, UK</i>	1381

FIRE DYNAMICS

Modeling of flame to surface heat feedback from laminar wall fires <i>Isaac Leventon, S Stolarov, University of Maryland, USA</i>	1393
Radiative characteristics of fires with different sooting propensities <i>Dong Zeng, M Chaos, Y Wang, FM Global, USA</i>	1405
Numerical prediction of liquid pool fires burning rate with a CFD approach <i>Siaka Dembele, M Alam, Kingston University London, V Madhav Rao, J Wen, University of Warwick, UK</i>	1415
An experimental study of water transport on vertical paper surfaces for sprinkler protection <i>Xiangyang Zhou, FM Global, USA</i>	1427

Intermediate-scale controlled-atmosphere calorimeter CADUCEE <i>Mickaël Coutin, IRSN, D Alibert, B Porterie, AMU, France</i>	1433
The effect of reduced oxygen concentration environments on material fire performance for hypoxic air venting systems <i>John Barton, P van Hees, Lund University, Sweden</i>	1445
The flammability of smoke in under-ventilated compartment fires <i>Sahand Rasoulipour, C Fleischmann, M Spearpoint, University of Canterbury, New Zealand</i>	1455
COMPOSITES	
Composites in fire: Intermediate-scale testing of sandwich panels and shells <i>Bernhard Schartel, S Timme, A Hörold, V Trappe, M Korzen, BAM, Germany</i>	1465
Analysis of delamination onset and growth induced by laser decomposition within carbon/epoxy composite laminates <i>Gillian Leplat, C Huchette, A Mavel, P Nunez, ONERA, France</i>	1471
Modeling anisotropic effects of carbon fiber reinforced epoxy composites In fire environments <i>Adrian Kopacz, R Bozinoski, J Hewson, A Dodd, A Brown, Sandia National Labs, USA</i>	1481
Virtual fire resistance furnace: Heat transfer predictions of a composite panel <i>Gilda Auguin, V Dréan, Efectis, France</i>	1491
THERMAL INSULATION & FIBRES	
Fire safe use of polyurethane insulation in hall buildings <i>Tuula Hakkarainen, M Nissilä, T Ojanen, VTT, Finland</i>	1499
Fire performance of plasterboard-insulation assemblies consisting of closed-cell charring insulation materials <i>Juan Hidalgo, S Welch, University of Edinburgh, UK and J Torero, University of Queensland, Australia</i>	1507
On the contribution of foam plastic insulation to life safety in residential building fires <i>Marc Janssens, A Joyce, SwRI, USA</i>	1519
Natural plant fiber flammability: A microcombustion calorimetry survey <i>Alexander Morgan, University of Dayton, USA and R Horrocks, University of Bolton, UK</i>	1529
ELECTRICAL FIRES	
Energetics of lithium ion battery failure <i>Richard Lyon, R Walters, FAA, USA</i>	1541
Thermally-induced failure of lithium ion batteries: Experimental investigation and modeling <i>Stanislav Stoliarov, X Liu, University of Maryland, USA</i>	1551
Fire spreading from a real open-doors electrical cabinet to overhead multiple cable trays into a confined and mechanically-ventilated facility <i>Pascal Zavaleta, L Audouin, IRSN, France</i>	1563

HUMAN BEHAVIOUR

An experiment on ascending evacuation on a long, stationary escalator <i>Silvia Arias, E Ronchi, K Kuklane, A Halder, Lund University, J Noren, Briab Brand & Riskingenjorena., M Delin, DeBrand Sverige, K Fridolf, WSP Sverige, Sweden</i>	1575
Individual and group response behaviours during evacuation of a public house <i>Nigel McConnell, K Boyce, Ulster University, UK</i>	1587
An analysis of human flow composition in various types of buildings <i>Dmitry Samoshin, Academy of State Fire Service, Russia</i>	1599
Relationship between specific flow and opening width considering pedestrian shoulder twist <i>Mineko Imanishi, T Sano, Waseda University, Y Omiya, Tokyo University of Science, Japan</i> ..	1609
Modification of interaction force between smoke and evacuee <i>Sungryong Bae, H S Ryou, Chung-Ang University, J-H Choi, Pukyong National University, South Korea</i>	1621
Variation of walking speed and decision-making time at various junctions <i>Young-Hoon Bae, W-H Hong, Kyungpook National University, S-H Lee, National Fire Service Academy, R-S Oh, S-N Baek, J-H Choi, Pukyong National University, South Korea</i> ...	1631
Development of flow model in staircase by considering mechanism of flow stop by congestion with people <i>Masayuki Mizuno, H Sendo, N Tanaka, A Sekizawa, Tokyo University of Science, H Kadokura, Tokyo Research Inst Inc., K Fujii, National Research Inst of Fire and Disaster, T Sano, Waseda University, Japan</i>	1641
Urban scale evacuation simulation using buildingEXODUS <i>Nitish Chooramun, University of Mauritius, Mauritius and P Lawrence, E Galea, University of Greenwich, UK</i>	1645
Pros and cons of egress drills <i>Steve Gwynne, NRCC, A Robbins, Jensen Hughes, Canada, K Boyce, University of Ulster, UK, E Kuligowski, NIST, USA, D Nilsson, Lund University, Sweden and R.Lovreglio, Politecnio di Bari, Italy</i>	1657
Representing egress data for engineers <i>Karen Boyce, University of Ulster, UK and S Gwynne, NRCC, Canada</i>	1671
A proposed framework for managing evacuation model uncertainty considering verification and validation <i>Tim Roberts, N Swailes, M Kinsey, G Walker, Arup, UK</i>	1683

AUTHOR INDEX